



Township of Mapleton Mapleton Wastewater Servicing Municipal Class Environmental Assessment Notice of Addendum

The Study and Background

The Township of Mapleton (the Township) completed the Mapleton Wastewater Servicing Municipal Class Environmental Assessment in 2017 to review wastewater management in the Township and identify a preferred approach to meeting future wastewater needs. An Addendum has now been completed to the Environmental Study Report (ESR) issued November 2017 to expand the Mapleton Wastewater Pollution Control Plant (WPCP) and to update the planning and design process by modifying the nitrification technology as stipulated in 2017 ESR.

The Process

The Addendum has been completed in accordance with the requirements of the Municipal Class Environmental Assessment process (October 2000, as amended in 2007, 2011, 2015 and 2023) as defined under the Ontario Environmental Assessment Act.

The Addendum is available for public, government agency and Indigenous Community review in accordance with the requirements of the Municipal Class Environmental Assessment. The Township is seeking comments on the proposed changes as outlined in the Addendum. Subject to comments received as a result of this Notice, and the receipt of necessary approvals, the Township of Mapleton intends to proceed with the design and construction.

The Addendum is available for review on the Township's website at <https://mapleton.ca/services/reports-and-studies/wastewater-reports>, and at the following location:

Township of Mapleton Municipal Offices
Clerk's Department
7275 Sideroad 16
Drayton, Ontario, N0G 1P0
Monday – Friday, 9:00 am to 4:00 pm
P: (519) 638-3313

Interested persons may provide written comments to our project team by July 5, 2024. All comments and concerns should be sent directly to the Township's email at mapleton_ea@cima.ca.

In addition, a request to the Minister of the Environment, Conservation and Parks for an order imposing additional conditions or requiring an individual environmental assessment may be made on the grounds that the requested order may prevent, mitigate, or remedy adverse impacts on constitutionally protected Aboriginal and treaty rights. Requests should include your full name and contact information.

Requests should specify what kind of order is being requested (additional conditions or an individual environmental assessment), explain how an order may prevent, mitigate, or remedy potential adverse impacts, and can include any supporting information.

The request should be sent in hardcopy or by email to:

Minister of the Environment, Conservation and Parks
Ministry of Environment, Conservation and Parks
777 Bay Street, 5th Floor
Toronto ON M7A 2J3
minister.mecp@ontario.ca

and

Director, Environmental Assessment Branch
Ministry of Environment, Conservation and Parks
135 St. Clair Ave. W, 1st Floor
Toronto ON, M4V 1P5
EABDirector@ontario.ca

Requests should also be sent to the Township Director of Public Works by mail or by e-mail.

Please visit the ministry's website for more information on requests for orders under section 16 of the Environmental Assessment Act at: <https://www.ontario.ca/page/class-environmental-assessments-part-ii-order>

All personal information included in your request – such as name, address, telephone number and property location – is collected, under the authority of section 30 of the Environmental Assessment Act and is collected and maintained for the purpose of creating a record that is available to the general public. As this information is collected for the purpose of a public record, the protection of personal information provided in the Freedom of Information and Protection of Privacy Act (FIPPA) does not apply (s.37). Personal information you submit will become part of a public record that is available to the general public unless you request that your personal information remain confidential.

If there is no request received by July 5, 2024, the project will proceed to design, and construction as presented in the Addendum.

This Notice was issued June 4, 2024.